



# ACO Slot 8



## Kanalete




### Kanalete brez vgrajenega padca



| L<br>[mm] | H<br>[mm] | Material | Art. št. |
|-----------|-----------|----------|----------|
| 500       | 80,5      | 1.4404   | Z346812  |
| 1000      | 80,5      | 1.4404   | Z346813  |
| 2000      | 80,5      | 1.4404   | Z346814  |
| 3000      | 80,5      | 1.4404   | Z349626  |

### Kanalete z vgrajenim padcem





|      |           |        |         |
|------|-----------|--------|---------|
| 2000 | 60 - 80,5 | 1.4404 | Z346815 |
| 3000 | 60 - 80,5 | 1.4404 | Z346816 |



## Kanalete z revizijskim elementom in iztokom na koncu



### Horizontalni iztok DN50

|   |   | $\varnothing D$ | L    | H    | Material | Art. št. |
|---|---|-----------------|------|------|----------|----------|
|   |   | [mm]            | [mm] | [mm] |          |          |
|  |  | 50              | 1000 | 80,5 | 1.4404   | Z346822  |



### Vertikalni iztok DN100

|   |   |     |      |      |        |         |
|---|---|-----|------|------|--------|---------|
|  |  | 100 | 1000 | 80,5 | 1.4404 | Z346818 |
|---|---|-----|------|------|--------|---------|



## Kanalete z revizijskim elementom in iztokom na sredini













### Horizontalni iztok DN50

|   |   | $\varnothing D$ | L    | H    | Material | Art. št. |
|---|---|-----------------|------|------|----------|----------|
|   |   | [mm]            | [mm] | [mm] |          |          |
|  |  | 50              | 1000 | 80,5 | 1.4404   | Z346820  |

### Vertikalni iztok DN100

|   |   |     |      |      |        |         |
|---|---|-----|------|------|--------|---------|
|  |  | 100 | 1000 | 80,5 | 1.4404 | Z346817 |
|---|---|-----|------|------|--------|---------|

## Rešetke iz nerjavečega jekla AISI 304

| Tip   | Razred obremenitve         | Širina lujenj/rež [mm] | Material | Art. št. |
|---|----------------------------|------------------------|----------|----------|
| <b>Quadrato</b>   |                            |                        |          |          |
|       | L15                        | 6                      | 1.4306   | 408092   |
| <b>Heelsafe</b>   |                            |                        |          |          |
|       | L15                        | 5,5                    | 1.4306   | 408022   |
| <b>Multi slot 5</b>   |                            |                        |          |          |
|      | L15                        | 5                      | 1.4306   | 408094   |
| <b>Tile</b>   |                            |                        |          |          |
|   | L15                        | -                      | 1.4306   | Z377139  |
| <b>Čelne stene</b>  |                            |                        |          |          |
| Opis  | H [mm]                     | Material               | Art. št. |          |
| <b>Čelna stena</b>  |                            |                        |          |          |
|    | Čelna stena                | 80,5                   | Z346824  |          |
|   | Čelna stena                | 60,0                   | Z346278  |          |
|    | Čelna stena z iztokom DN50 | 80,5                   | Z357797  |          |
| <b>Tesnila</b>  |                            |                        |          |          |
|   | EPDM tesnilo               | 80,5                   | Z346828  |          |
|   | EPDM tesnilo               | 60,0                   | Z346827  |          |